



HEAVY-DUTYCASTER.COM

PHIL@HEAVY-DUTYCASTER.COM

336-362-1639

<https://www.heavy-dutycaster.com>

Light Duty Stainless Steel Casters for Material Handling Carts, Food Service Carts, Institutional Carts, Pharmaceutical applications.

Part #	Swivel/Rigid	Wheel Size (Diameter x Tread Width), Wheel Material, Bearings, Color	Capacity	Overall Height	Price Each	Shipping Locations
S5230-01-SPU	Stainless Steel Swivel	3" x 1.25" Polyurethane wheel plain bore; Blue	300#	4-1/16 in.	\$62.00	GA, IL
S5230-01-SPU-TLB	SS Swivel w/ Top Lock Brake	3" x 1.25" Polyurethane wheel plain bore; Blue	300#	4-1/16 in.	\$72.00	GA, IL
S5230R-01-SPU	SS Stainless Steel Rigid	3" x 1.25" Polyurethane wheel plain bore; Blue	300#	4-1/16 in.	\$50.00	GA, IL
S5235-01-PPBG-SB	SS Swivel	3.5" x 1.25" Polyurethane wheel with SS ball Bearings; Blue	350#	4-5/8 in.	\$82.00	GA, IL
S5235-01-PPBG-SB-TLB	SS Swivel w/ Top Lock Brake	3.5" x 1.25" Polyurethane wheel with SS ball Bearings; Blue	350#	4-5/8 in.	\$92.00	GA, IL
S5235R-01-PPBG-SB	SS Rigid	3.5" x 1.25" Polyurethane wheel with SS ball Bearings; Blue	350#	4-5/8 in.	\$70.00	GA, IL



3" x 1.25" SS Swivel caster w/ Blue Poly Wheel



3.5" x 1.25" SS Swivel caster with top lock brake

Part #	Swivel/Rigid	Wheel Size (Diameter x Tread Width), Wheel Material, Bearings, Color	Capacity	Overall Height	Price Each	Shipping Locations
S5240-01-SPU	SS Swivel	4" x 1.25" Polyurethane wheel plain bore; Blue	350#	5-1/8 in.	\$72.00	GA, IL
S5240-01-SPU-TLB	SS Swivel w/ Top Lock Brake	4" x 1.25" Polyurethane wheel plain bore; Blue	350#	5-1/8 in.	\$82.00	GA, IL
S5240R-01-SPU	SS Rigid	4" x 1.25" Polyurethane wheel plain bore; Blue	350#	5-1/8 in.	\$60.00	GA, IL
S5250-01-SPU	SS Swivel	5" x 1.25" Polyurethane wheel plain bore; Blue	350#	6-3/16 in.	\$78.00	GA, IL
S5250-01-SPU-TLB	SS Swivel w/ Top Lock Brake	5" x 1.25" Polyurethane wheel plain bore; Blue	350#	6-3/16 in.	\$88.00	GA, IL
S5250R-01-SPU	SS Rigid	5" x 1.25" Polyurethane wheel plain bore; Blue	350#	6-3/16 in.	\$64.00	GA, IL



4" x 1.25" SS
Swivel caster w/ Blue Poly
wheel



5" x 1.25" SS
Swivel caster with Blue Poly
wheel



Our Light Duty Stainless Steel Casters have capacity up to 350#. 304 Stainless Steel. Highly polished finish for attractive and high performance visual. Highly resistant to water and solvents and most chemicals. We use stainless steel double ball swivel raceway for added durability and ease of swivel action. A stainless steel metal dust cover helps protect the swivel race. Seals in both upper and lower swivel raceway. Applications include: material handling carts and trucks, food service equipment and carts, institutional, commercial, hospital carts and equipment, and pharmaceutical carts. As well as dollies, wire shelving.

**PEDAL WHEEL BRAKE
(GRAY PEDAL, ALL
STAINLESS PARTS, HEX AXLE)**



SPWB

INTEGRATED TLB



TLB

ZERK AXLE



Z

**BEARING COVER
(FOR: PPB+, TRB)**







BCG

**RACEWAY SEAL &
ZERK FITTING**



STANDARD

Top Plate Sizes and Stem Sizes Available:



GRIP RING STEM	11	7/16 x 1-1/2
	12	.845 x 2-3/16
	14	1.48 x 3 WITH DUAL GRIP RINGS
	14CDH	1.48 x 3 WITH DUAL GRIP RINGS W-5/16 CROSS DRILLED HOLE
THREADED STEM (WITH LOWER NUT UNDER RACE WAY)	21	A-B x C 1/2-13 x 1
	22	1/2-13 x 1-1/2
	23	1/2-13 x 2-3/16
	24	1/2-13 x 2-1/4
	26N	1/2-13 x 2-13/16
	58134	5/8-11 x 1-3/4
	34134	3/4-10 x 1-3/4
	344	3/4-10 x 4
PIPE THREAD STEM	34PT	THREADED FOR 3/4 PIPE COUPLING x 3/4 LONG
EXPANDABLE ADAPTER STEMS	25	FOR 1-3/8 I.D. 1-1/2 O.D. TUBING
	26	FOR 1-1/2" I.D. 1-5/8 O.D. TUBING
	27	FOR 7/8" I.D. 1" O.D. TUBING
	28	FOR 1" I.D. 1-1/8" O.D. TUBING
	29	FOR 1-1/8" I.D. 1-1/4 O.D. TUBING
ROUND PLAIN STEM	31	7/8 x 1-7/16 WITH 5/16 CROSS DRILLED HOLE 29/32 UP
OCTAGON STEM W/ GRIP RING	41	7/8 x 2-1/4 WITH ONE GRIP RING (TOP)
OCTAGON STEM W/ CROSS DRILLED HOLE	42	7/8 x 2 WITH 5/16 CROSS DRILLED HOLE 1" UP
OCTAGON STEM W/ GROOVE (NO RING)	45	7/8 x 2-1/4 (GROOVE WITH NO GRIP RING)
SQUARE STEM	51	7/8 x 2 WITH 1/4" CROSS DRILLED HOLE 1" UP